

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office.....JUL 28 1977
 Returned to applicant for correction.....DEC 30 1977
 Corrected application filed.....JUL 20 1978
 Map filed.....JUL 24 1978

The applicant Margaret V. Gray
318 E. Victoria St., of Santa Barbara,
Street and No. or P.O. Box No. City or Town
California 93101, hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 2.7 second-feet
One second-foot equals 448.83 gals. per min.
 (a) If stored in reservoir give number of acre-feet
3. The water to be used for Irrigation and Domestic
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated: 160 acres
 - (b) Stockwater, state number and kinds of animals to be watered:
 - (c) Other use (describe fully under "No. 12. Remarks")
 - (d) Power:
 - (1) Horsepower developed
 - (2) Point of return of water to stream: 12,085.6067 feet from the U.S.C & G.S. bench mark S162 on a bearing of N 12° 12' 22" E. This well site is in unsurveyed land but is projected to be in NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of section 30, Township 11 South, Range 66 East. See attached sheet for distances and bearings from bench mark S162 to nearest section corner.
5. The water is to be diverted from its source at the following point: Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
6. Place of use - See attached metes and bounds description- This land is unsurveyed but the probable 40 acre subdivisions are shown on the accompanying map. The metes and bounds description includes portions of: NW $\frac{1}{4}$ of NW $\frac{1}{4}$, NE $\frac{1}{4}$ of NW $\frac{1}{4}$, SW $\frac{1}{4}$ of NW $\frac{1}{4}$ and the NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of section 30, Township 11 South, Range 66 East, NW $\frac{1}{4}$ of NE $\frac{1}{4}$, NE $\frac{1}{4}$ of NE $\frac{1}{4}$, SW $\frac{1}{4}$ of NE $\frac{1}{4}$, SE $\frac{1}{4}$ of NE $\frac{1}{4}$, NW $\frac{1}{4}$ of SE $\frac{1}{4}$, NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of section 25, Township 11 South, Range 65 East.
7. Use will begin about January 1st and end about December 31st, of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Drilled well, pump, motor and irrigation system.
State manner in which water is to be diverted, i.e. diversion structure, ditches and flumes, drilled well with pump and motor, etc.
9. Estimated cost of works \$15,000.00

10. Estimated time required to construct works..... 3 years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Carey Act

By s/Ross A. Gray
 2115 E. Ogden
 Las Vegas, Nevada 89101

Compared bl/js ja/br

Protested

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ^{deny} ~~grant~~ the same, subject to the following limitations and conditions:

This application is denied on the grounds that this appropriation of underground water for irrigation would tend to impair the value of existing rights and would be detrimental to the public interest and welfare within the Lower Meadow Valley Ground Water Basin.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed..... cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I, PETER G. MORROS,
 State Engineer of Nevada, have hereunto set my hand and the seal of

Proof of beneficial use filed..... my office, this 31st day of MARCH

Cultural map filed.....

Certificate No. Issued.....

218 (Rev.)

A.D. 19 82

Peter G. Morros
 State Engineer

Rescinded
 11-8-82
 See Ruling
 # 2748

CANCELLED FEB 13 1979 BECAUSE OF FAILURE TO REFILE
 CORRECTED APPLICATION WITHIN STATUTORY TIME
 STATE ENGINEER

5. U.S.C. & G.S. bench mark S162 is located in the SW $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 1, Township 12 South, Range 65 East. Bench mark S162 is 13,283.87 feet from the U.S.G.S. triangulation station at "Rox" on a bearing of N 07⁰ 36' 27" W. The "Rox" station is 7,264.16 feet from a 2" by 2" hub and tack set on the section line between Sections 19 and 20 in Township 12 South, Range 66 East. The bearing from "Rox" to said hub is S 36⁰ 38' 48" E. It is 1,122.06 feet to the common corner of Sections 19, 20, 29 and 30, Township 12 South, Range 66 East. The bearing from the hub to said section corner S 0⁰ 34' 42" E.
6. The following legal description is of a parcel of unsurveyed land located in Lincoln County, Nevada. The point of beginning is projected from the U.S.C. & G.S. triangulation bench mark S162. Bench mark S162 is located at North Latitude 36⁰ 55' 25.884" and West longitude 114⁰ 39' 28.127" in Section 1, Township 12 South, Range 65 East.

Beginning at a point 13,035.41 feet from bench mark S162 and on a bearing from said bench mark on N 15⁰ 57' 16" E; then turning West on a bearing of S 89⁰ 26' 24" W for a distance of 2,930 feet; then turning Southwest on a bearing of S 25⁰ 26' 24" W for a distance of 2,640 feet; then turning East on a bearing of N 89⁰ 26' 24" E for a distance of 2,930 feet; then turning Northeast for a distance of 2,640 feet to the original point of beginning on a bearing of N 25⁰ 26' 24" E.

s/Ross A. Gray

Ross A. Gray for Margaret V. Gray